

Immunization Packet - 4 steps

All forms and uploads must be completed at https://rutgers.medicatconnect.com/



Fill out the Mandatory Health Questionnaire



Ask your healthcare provider to fill out this Immunization Packet

Some of your vaccines may have already transferred into our system from the NJ vaccine registry or your previous time at Rutgers. To check your vaccine record, PRINT your record from the Immunization tab.

Please do not re-submit immunizations that are already in the system.



Enter the dates of your vaccines or labs under the Immunization tab



Upload your signed, completed packet and any supporting documentation, if applicable (ex: labs, blood work, x-ray report)

Clinical students (category 1) immunization requirements apply to students who will see patients or clients during the course of their program and may be exposed to blood or body fluids.

Not sure of your category? Reach out to your program.

Required:
Measles Mumps Rubella
Hepatitis B, including labs for immunity
Adult Tdap
Tuberculosis screening
Varicella
Annual flu
Physical Exam

May be required (see immunization form for details): Meningitis ACYW Meningitis B



Student to complete

Last name RUID or A number School/Program	_ First name _ Email	Cell	3 (<i>mm/dd/yyyy</i>) phone d year
	Healthcare provider to	complete	
Healthcare provider name (print):	Date		Practice stamp
Healthcare provider name (sign):			
NPI:			
Measles, Mumps, Rubella (MMR) – Comp	lete option A, B, or C to fulfill t	his requirement	
Option A: MMR vaccine doses	Vaccine/Titer	Date (mm/dd/yyyy)	Result
First dose on or after first birthday and a	MMR dose 1		
second dose at least 28 days after.	MMR dose 2		
Option B: MMR serological immunity		, ,	
To satisfy this option, blood tests must	Measles (Rubeola) titer		☐ Immune ☐ Non-Immune
demonstrate immunity to measles,		, ,	
mumps, and rubella.	Mumps titer		☐ Immune ☐ Non-Immune
LAB REPORTS ARE REQUIRED AND MUST		/ /	
BE UPLOADED TO THE PORTAL	Rubella titer		☐ Immune ☐ Non-Immune
Option C: Measles, Mumps and Rubella	Measles dose 1	<u> </u>	
immunizations if given separately.	Measles dose 2		
Doses may be entered individually in this section.	Mumps dose 1	/	
Section.	Mumps dose 2	/ /	
DO NOT RE-ENTER DOSES IF LISTED ABOVE	Rubella dose 1		
	Nubella uose 1		
Hepatitis B			
Hep B antibody test	Test	Date (mm/dd/yyyy)	Lab Results
To satisfy the requirement, you must	Quantitative Hep B		□ Immune (≥10 mIU/mL)
provide a QUANTITATIVE Hep B surface	surface antibody		□ Non-immune (If you are
antibody test showing immunity to			non-immune you must provide
Hepatitis B.		/	a Hep B surface antigen and
LAB REPORTS ARE REQUIRED AND MUST BE UPLOADED TO THE PORTAL			restart the series) □ Non-responder (after 2 complete series)
Hep B surface antigen	Hep B surface antigen		complete series/
We recommend submitting a Hep B	,		
surface antigen in case the quantitative			☐ Negative ☐ Positive
Hep B surface antibody does not			
demonstrate immunity.			

Updated: 3.2025 Category 1 Immunization Packet | 1

Healthcare	Provider	Initials
neallicale	Provider	IIIIIIIIIII



st name First name		DOB (mm/dd/yyyy)	R	UID or A number	
If you are not immune to Hepatitis B, you have 2 options: (1) receive a booster dose & recheck your immunity OR (2) complete the series & recheck your immunity. Immunity can be checked 4-6 weeks after a vaccine dose.					
Hep B vaccine doses	Vaccine	Date (mm/dd/yyyy)	Manufactu	rer	
	Hep B dose 1		□ Engerix	□ Twinrix	□ Heplisav
	Hep B dose 2	/	□ Engerix	□ Twinrix	□ Heplisav
	Hep B dose 3	/	□ Engerix	□ Twinrix	
Repeat Hepatitis B series	Vaccine	Date (mm/dd/yyyy)	Manufactu	rer	
Only if not immune after primary series,	Hep B dose 4		□ Engerix	□ Twinrix	□ Heplisav
receive booster dose OR complete series	Hep B dose 5	/	□ Engerix	□ Twinrix	□ Heplisav
before rechecking for immunity.**	Hep B dose 6	/	□ Engerix	□ Twinrix	·
**Student MUST demonstrate immunity to	fulfill the	Quantitative Hep B	surface antil	bodv	
requirement. Immunity can be checked 4-6 weeks after a vaccine dose. LAB REPORT(S) MUST BE UPLOADED TO THE PORTAL		☐ Immune (≥10 mIU/mL) ☐ Non-immune			
Adult Tdap (Tetanus, Diphtheria & Acellular	· Portussis)	/ /	□ Adacel	□ Boostrix	
Addit Tab (Tetanas, Dipitalena & Acendia	reitussisj		- Adacei	□ boostiix	
Annual Influenza – <i>List vaccination for the</i>	current flu season	/			
Tuberculosis (TB) Screening – Complete op	ntion A or B to fulfill	this requirement			
Option A: PPD (Mantoux) skin tests Required regardless of prior BCG vaccination. To complete this option: 2 step PPD (consisting of 2 PPDs placed 1-3 weeks apart and read 48-72 hours after placement) within the past 6 months of your enrollment date.		PPD place PPD 1/_ PPD 2/_ Both tests must be	J	PPD read//	Induration mm mm
If PPD is positive (≥ 10mm), is the student free of TB symptoms? □ Yes □ No If yes, list date of the positive PPD and induration/, mm Was the student treated? □ Yes □ No If yes, for how long was the student treated and with which medication?					
Option B: FDA approved blood test To complete this option, you must provide an FDA approved blood test showing absence of TB infection within the past 6 months of your enrollment date. LAB REPORT MUST BE UPLOADED TO THE PORTAL If your TB Blood test result is positive, a chest x-ray** must be completed.		Blood test Date:/ Result: □ Negative □ Positive Type: □ QuantiFeron Gold □ T-Spot □ Lab report attached			
**Chest x-ray result To complete this option a chest x-ray with months must be normal and report must the portal.	Chest x-ray Date:/ □ Normal □ Abnormal □ Report attached				

Healthcare Provider Initials	



Last name	First name		DOB (mn	m/dd/yyyy) RUID or A number _		ber	
Varicella (Chicken Pox) – Complete option A or B to fulfill this requirement							
Option A: Varicella vaccine doses Vaccine Date (mm/dd/yyyy) Result							
-	r your first birthday ar			/ /	1100011		
a second dose at lea	•	Varicella dose 2					
Option B: Varicella	serologic immunity	varicella dose 2					
-	n, you must provide a						
blood test demonstr				, ,	□ Immune □ Non-Immune		
varicella.	,	Varicella titer		/	□ Lab report		
LAB REPORTS ARE R	REQUIRED AND MUST	BE			·		
UPLOADED AS AN A	ATTACHMENT						
Moningitis ACVM	and Meningitis B – Me	aningitis vassinas ar	required for	students who most th	a critaria listad hal	ow Place	
	ent to determine your re		required joi	students who meet the	e criteria listea bell	ow. Pieuse	
	equirement assessmer						
Check all that apply	•						
	19 years old at the start						
	irst year in any college a	• -	-		_		
	duate student would NO nore of the following cor				•		
	_	iuitions. aspienia, si	kie celi, iv. II	iennigitiuis iab work, ti	omplement dende	ricy of	
complement inhibitor use, HIV You are a traveler to/resident of areas with endemic meningitis							
iou aic a tiaveici		e, you must receive at least one dose of an approved Meningitis ACYW.					
		ou must receive at		ose of an approved I	Meningitis ACYW	<i>1</i> .	
		ou must receive at Date (mm/dd/yyyy	least one d	• • • • • • • • • • • • • • • • • • • •	Meningitis ACYW	<i>l</i> .	
If you checked any of Meningitis ACYW The most recent	of the boxes above, yo Vaccine		least one d) Manufac	cturer			
If you checked any of Meningitis ACYW The most recent dose must be on	of the boxes above, yo		least one d	cturer	Meningitis ACYW □ Menomune	<i>I.</i> □ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th	of the boxes above, you Vaccine Men ACYW dose 1		Manufac	cturer eo 🗆 Menactra	□ Menomune	□ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday.	Men ACYW dose 2		least one d) Manufac	cturer eo 🗆 Menactra			
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require	Men ACYW dose 1 Men ACYW dose 2 ement assessment		Manufac	cturer eo 🗆 Menactra	□ Menomune	□ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require Check all that apply	Men ACYW dose 1 Men ACYW dose 2 ement assessment below:	Date (mm/dd/yyyy	Manufac	eo Menactra	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require Check all that apply You have one or	Men ACYW dose 1 Men ACYW dose 2 ment assessment below: more of the following	Date (mm/dd/yyyy	Manufac	eo Menactra	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply You have one or complement into	Men ACYW dose 1 Men ACYW dose 2 ment assessment below: more of the following	Date (mm/dd/yyyy	Manufaction Menve	eo Menactra	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply apply You have one or complement in the You are a traveler.	Men ACYW dose 1 Men ACYW dose 2 Menent assessment below: more of the following hibitor use, HIV	Date (mm/dd/yyyy	Manuface Menver Menver Menver	eo	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply apply You have one or complement in the You are a traveler.	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas	Date (mm/dd/yyyy	Manufactor Menvector Menvector Menvector Menvector Meningitis Meningitis	eo	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require Check all that apply You have one or complement inh You are a traveled of the check and the complement in	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, yo	Date (mm/dd/yyyy	Manufactor Menvector Menvector Menvector Menvector Meningitis Meningitis	eo	□ Menomune □ Menomune	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require Check all that apply You have one or complement inh You are a traveled of the check and the complement in	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you	Date (mm/dd/yyyy	Manuface Menver Menver Menver Menver Menver Menuface	eo	□ Menomune □ Menomune o work, complem	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B require Check all that apply You have one or complement inh You are a traveled of the check and the complement in	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you Vaccine Men B dose 1	Date (mm/dd/yyyy	Manufact Menver Menver Menver Menver Menver Menue	eo	□ Menomune □ Menomune □ work, complem □ Bexsero	☐ MenQuadfi ☐ MenQuadfi	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply apply You have one or complement in the You are a traveled If you checked any of Meningitis B	Men ACYW dose 1 Men ACYW dose 2 ment assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you Vaccine Men B dose 1 Men B dose 2	pate (mm/dd/yyyy	Manufact Menver Menver Menver Menver Menver Trume Trume	Menactra Menactra	□ Menomune □ Menomune □ work, complem □ Bexsero □ Bexsero	☐ MenQuadfi ☐ MenQuadfi ent deficiency or	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply apply You have one or complement in the You are a traveled If you checked any of Meningitis B	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you Vaccine Men B dose 1 Men B dose 2 Men B dose 3	pate (mm/dd/yyyy	Manufact Menver Menver Menver Menver Menver Trume Trume	Menactra Menactra	□ Menomune □ Menomune □ work, complem □ Bexsero □ Bexsero	☐ MenQuadfi ☐ MenQuadfi ent deficiency or	
If you checked any of Meningitis ACYW The most recent dose must be on or after your 16th birthday. Meningitis B required Check all that apply or you have one or complement into You are a traveled If you checked any of Meningitis B Indicate	Men ACYW dose 1 Men ACYW dose 2 ement assessment below: more of the following hibitor use, HIV er to/resident of areas of the boxes above, you Vaccine Men B dose 1 Men B dose 2 Men B dose 3 if you have received Date (mm/dd/yyyy)	with endemic ments as please in the following value of the following	Manufact Menver Menver Menver Menver Menver Trume Trume	eo	□ Menomune □ Menomune □ work, complem □ Bexsero □ Bexsero	□ MenQuadfi □ MenQuadfi ent deficiency or	

☐ Gardasil 9

□ Cervarix

□ Gardasil 4

□ Unknown

(HPV)





Last name	First name		DOB (mm/dd/yyyy)	RUID or A number
	Indicate additiona	al vaccinati	ons you may have rece	eived.
Vaccine	Date (mm/dd/yyyy)			
COVID-19 (most recent dose)	/	□ Pfizer	□ Moderna □ Novavax	□ Other
Hepatitis A	/			
Japanese Encephalitis	/			
Pneumococcal	/	□ PCV13	□ PPSV23	
	/	□ PCV13	□ PPSV23	
	/	□ PCV13	□ PPSV23	
	/	□ PCV13	□ PPSV23	
Polio Booster	/			
Rabies	/			
	/			
	/			
Typhoid (most recent dose)	/	□ TyphIM	□ Vivotif	
Yellow Fever				



Physical Examination Form

Your healthcare provider may supply their own physical form/document, which you may upload as documentation of your physical exam in lieu of using this form.

Part I: Student to complete (please print or type)					
Last name		First name	DOB (mm/dd/yyyy)		
RUID or A number		Email	Cell phone		
School/Program		Grad year			
		· · · · · · · · · · · · · · · · · · ·			
Part II: To be complete	ed by the healtl	hcare provider			
Physical exam must be co	ompleted by a nor	n-relative physician, nu	urse practitioner, or physician's assistant		
Exam Date:					
Height (inches):		Weight (pounds):			
BMI:		BP:	Pulse:		
	Normal	Abnormal	If abnormal, please explain:		
General appearance					
Skin					
Head					
Eyes					
Neurological Exam					
Respiratory					
Psychiatric Exam					
	(; ()				
Healthcare provider na	me (<i>print)</i> :	Date	Practice stamp		
Healtheare provider per	mo (sign):				
Healthcare provider na	ille (Sigil).				
NPI:					
INF I.					
			·		